

# CATALOGUE

Disposable and reusable gloves  
for professionals



# IN SAFE HANDS

**Reflexx** is leader in the sale of **nitrile, latex, vinyl, polyethylene, disposable and reusable gloves.**

**Reflexx's** mission is to provide the maximum protection, constant quality and innovation at the most convenient price for professional gloves.



## SALES CHANNELS

Reflexx provides its products only to **professional users through specialized distributors** in the following sales channels:

|        |      |                        |                                   |            |                              |
|--------|------|------------------------|-----------------------------------|------------|------------------------------|
|        |      |                        |                                   |            |                              |
| Dental | Food | Laboratory and medical | Janitorial and cleaning companies | Industrial | Cosmetics and tattoo artists |

|              |  |              |  |
|--------------|--|--------------|--|
| <b>4-5</b>   | <b>Regulations</b>   | <b>42-43</b> | <b>Vinyl</b><br>Reflexx 36   |
| <b>6-7</b>   | <b>Usage industries</b>  | <b>44-47</b> | <b>Polyethylene</b><br>Reflexx T25<br>Reflexx 20<br>Reflexx 18   |
| <b>8-14</b>  | <b>Food Line</b><br>Reflexx 77 FOOD<br>Reflexx 72<br>Reflexx T22<br>Reflexx 95<br>Reflexx N81  | <b>48-55</b> | <b>Supported</b><br>Reflexx N22<br>Reflexx PU22<br>Reflexx N16<br>Reflexx PU18 White, Grey, Black<br>Reflexx N12<br>Reflexx PU13 |
| <b>15-19</b> | <b>Care Line</b><br>Reflexx NBio<br>Reflexx L600<br>Reflexx N350   | <b>56-60</b> | <b>Reusable</b><br>Reflexx 101<br>Reflexx 97<br>Reflexx 94<br>Reflexx 90 / Reflexx 92  |
| <b>20-35</b> | <b>Nitrile</b><br>Reflexx 99<br>Reflexx N79 Plus<br>Reflexx N85<br>Reflexx 67<br>Reflexx N69<br>Reflexx 68<br>Reflexx 70<br>Reflexx N71<br>Reflexx 78<br>Reflexx 76<br>Reflexx 77<br>Reflexx N82<br>Reflexx N80B | <b>61-64</b> | <b>Feather Line</b><br>Feather Cotton<br>Feather Plus<br>Feather Latexx PF<br>Feather Nitrex<br>Feather Flexx PF                 |
| <b>36-42</b> | <b>Latex</b><br>Reflexx 98<br>Reflexx 44<br>Reflexx 46<br>Reflexx 40   | <b>65-67</b> | <b>Marketing</b>   |



## Medical Devices (MD)



The EU Regulation 2017/745, enforced on May 26, 2021, in all EU countries, replaces Directive 93/42 /EEC and provides the requirements for the Medical gloves production, as well as the obligations of labeling and assessment of biological safety and validity. Gloves are medical devices that ensure protection from contamination to the patient and to the user, they are considered a real barrier to fluids and microorganism. Standards EN 455 parts 1,2,3 and 4.

**AQL**  
**≤1,5**

AQL is the Acceptable Quality Level of the product and indicates the acceptable maximum number of flaws during a sample inspection. The higher the AQL value is, the lower is the product quality. The strict European regulations regarding Medical Devices (standard EN 455-2) and Personal Protective Equipment (REG. EU 2016/425 - standard EN 374-2) uniformly require an AQL for micro-holes ≤ 1.5 as an effective barrier against microorganisms (fungi and bacteria).

## Personal Protective Equipment (PPE)



The new PPE Regulation EU 2016/425 has amended in April 2018 and replaced the previous PPE Directive 89/686/EEC. The new PPE regulation now specifies three classes based on risk definitions:

**CAT I:** minimal risk; self-certified.

**CAT II:** risks other than those listed in Categories I and III; certified by approved body.

**CAT III:** very serious risks which may cause death or irreversible damage to health; certified by approved body.

Only the approved bodies may issue a CE mark for PPE CAT II and CAT III.  
The gloves may not be sold or used without a proper CE mark.

## EN 420:2003 + A1:2009



This standard defines the general requirements for glove design, marking and sizing applicable to all protective gloves.

### HOW TO MEASURE YOUR HAND IN ORDER TO CHOOSE THE RIGHT GLOVE SIZE

- Use a dressmaker's cloth tape to measure the circumference of the palm of your hand at its widest point (in mm).
- Cross reference that measurement with the table provided below.

|                         | XS  | S   | M   | L   | XL  | XXL |
|-------------------------|-----|-----|-----|-----|-----|-----|
| GLOVE SIZE              | 6   | 7   | 8   | 9   | 10  | 11  |
| HAND CIRCUMFERENCE - MM | 152 | 178 | 203 | 229 | 254 | 279 |

## EN 374-1:2016+A1:2018

This standard specifies the capability of gloves to protect the user against chemicals and/or micro-organisms.

| CLASSIFICATION | MINIMUM PERFORMANCE LEVEL REQUIRED | MINIMUM NUMBER OF CHEMICALS FROM THE 18 LISTED | ICONS                        |
|----------------|------------------------------------|--|------------------------------|
| TYPE A         | 2 ( ≥ 30 min breakthrough)         | 6  | EN ISO 374-1:2016/Type A<br> |
| TYPE B         | 2 ( ≥ 30 min breakthrough)         | 3  | EN ISO 374-1:2016/Type B<br> |
| TYPE C         | 1 ( ≥ 10 min breakthrough)         | 1  | EN ISO 374-1:2016/Type C<br> |

## EN ISO 374-5:2016

### Performance requirements for micro-organisms risks

EN ISO 374-5: 2016



Pictogram for protective gloves against bacteria and fungi.

EN ISO 374-5: 2016



VIRUS

For protection against bacteria, fungi and virus. The term VIRUS underneath is enclosed to the biohazard pictogram. Tested according to ISO16604:2004 (Phi-X174 bacteriophage).

## Permeation Time

It is the time taken for the hazardous liquid to pass through the gloves and get in contact with the hand's skin.


| PROTECTION INDEX | BREAKTHROUGH TIME |
|------------------|-------------------|
| Level 1          | > 10 Min          |
| Level 2          | > 30 Min          |
| Level 3          | > 60 Min          |
| Level 4          | > 120 Min         |
| Level 5          | > 240 Min         |
| Level 6          | > 480 Min         |

## Degradation

It is the change in puncture resistance of a protective glove due to contact with a chemical. The change after chemical contact shall be tested for all permeation tested chemicals on the glove and the result mentioned in the instructions for use.

## EN 388:2016+A1:2018

EN 388:2016 +A1:2018



abcdef

| PERFORMANCE LEVEL RATINGS                     |                          |
|---|--------------------------|
| a - Abrasion resistance (cycles)              | 1-4                      |
| b - Blade cut resistance (Coupe Test / Index) | 1-5                      |
| c - Tear resistance (newton)                  | 1-4                      |
| d - Puncture resistance (newton)              | 1-4                      |
| e - <b>EN ISO</b> Cut resistance (newton)     | A-F                      |
| f - <b>EN</b> Impact protection               | (P) PASSED or (F) FAILED |

Level X can also be applied for "a" through "f" above, which means "not tested" or "not applicable"

## Food Contact Material (FCM)



The glove meant for food use is not only a fundamental hygiene measure, it is also an FCM - Food Contact Material (Regulation EC 1935/2004 - Italian Ministerial Decree 21.03.1973, EU Reg. 10/2011 and subsequent updates and changes).

*What are FCMs? "Any material or article intended to come into contact with food shall be manufactured in compliance with good manufacturing practice so that they do not transfer their constituents to food in quantities which could: endanger human health, cause an unacceptable change in the food composition, or bring about a deterioration in the organoleptic characteristics thereof."*

All subjects in the food production chain (producer/distributor/final user) are legally obliged to verify and respect the requirements of the legislation regarding FCMs. In line with law requirements, all Reflexx gloves are tested for overall and specific migration, using food simulants as shown in the chart here below.

### EDIBLE FOOD GROUP TYPES AND SIMULANTS ACCORDING TO REG EU 10/2011

| ABBREVIATION     | FOOD SIMULANTS                               | SIMULATED FOOD |
|------------------|--|----------------|
| Food simulant_A  | Ethanol 10% (v/v)                            | Aqueous        |
| Food simulant_B  | Acetic acid 3% (p/v)                         | Acid           |
| Food simulant_C  | Ethanol 20% (v/v)                            | Alcoholic      |
| Food simulant_D1 | Ethanol 50% (v/v)*                           | Dairy          |
| Food simulant_D2 | Vegetable oil                                | Oily, fatty    |
| Food simulant_E  | Poly 2,6-diphenyl-p-phenylene oxide, (MPPPO) | Dry            |

\* Tested with Ethanol 50% complying with EU Regulation 10/2011





DENTAL

REFLEXX NBio  
REFLEXX L600  
REFLEXX N350

REFLEXX 40  
REFLEXX 46

REFLEXX 76  
REFLEXX 77  
REFLEXX N82  
REFLEXX N80B



LABORATORY  
AND MEDICAL

REFLEXX NBio  
REFLEXX L600  
REFLEXX N350

REFLEXX 40  
REFLEXX 46  
REFLEXX 98 HR

REFLEXX 99 NHR  
REFLEXX 68  
REFLEXX 70  
REFLEXX N71  
REFLEXX 76  
REFLEXX 77  
REFLEXX N82  
REFLEXX N80B

REFLEXX 36



FOOD

REFLEXX NBio

REFLEXX 77  
REFLEXX 72  
REFLEXX N81  
REFLEXX T22  
REFLEXX 95

REFLEXX 99 NHR  
REFLEXX 70  
REFLEXX N71

REFLEXX T25  
REFLEXX 20





## INDUSTRIAL

REFLEXX 46  
REFLEXX 44  
REFLEXX 98 HR

REFLEXX 99 NHR  
REFLEXX N79 PLUS  
REFLEXX N85/N85B  
REFLEXX N69  
REFLEXX 68  
REFLEXX 67  
REFLEXX 70  
REFLEXX N71

REFLEXX N22 CUT  
REFLEXX PU22 CUT  
REFLEXX N16 MS  
REFLEXX PU18W/G/B  
REFLEXX N12  
REFLEXX PU13

REFLEXX 95  
REFLEXX 94  
REFLEXX 97 HD  
REFLEXX 101 HD



## JANITORIAL AND CLEANING COMPANIES

REFLEXX NBio  
REFLEXX N350

REFLEXX 98 HR


REFLEXX 99 NHR  
REFLEXX 70  
REFLEXX 76  
REFLEXX 77  
REFLEXX N82  
REFLEXX N80B

REFLEXX 36

REFLEXX 18

REFLEXX 95  
REFLEXX 94  
REFLEXX 90  
REFLEXX 92

FEATHER COTTON  
FEATHER Plus  
FEATHER Latexx PF  
FEATHER Nitrex  
FEATHER Flexx PF



## COSMETICS AND TATTOO ARTIST

REFLEXX NBio  
REFLEXX L600  
REFLEXX N350

REFLEXX 40  
REFLEXX 46  
REFLEXX 44

REFLEXX N79 PLUS  
REFLEXX 78  
REFLEXX 76  
REFLEXX N82  
REFLEXX N80B

REFLEXX 36



## FOOD LINE: 100% FOOD SAFETY

The Reflexx Food gloves were among the first to be specially conceived and designed for the food sector and they are continuously evolving. This is a complete line of gloves with a range of differing characteristics, a products line which can be used with all types of food and in various professional sectors where gloves are used on a daily basis: the food processing and transformation industry, restaurant kitchens of all sizes, canteens, mass catering and the food sectors of large-scale retail (delicatessens, charcuterie, fishmongers, bakeries).



## GLOVES FOR ALIMENTARY USE ARE NOT ALL THE SAME

The gloves of the Reflexx Food Line are **tested several times a year** in qualified European laboratories beyond what is required by law to verify the stability of the materials in different production batches. All the gloves of the Reflexx Food Line have obtained and still obtain, in each test, global and specific migration results within the normal limits. The gloves of the Reflexx Food Line are tested for the presence of NIAS (Non Intentionally Added Substances) and for the specific migration of metals (including lanthanides) and primary aromatic amines.

Also tested with 50% Ethanol simulant for dairy food, according to the European Regulation 10/2011.

## WHY ARE THE FOOD GLOVES BLUE?

The colour of gloves meant for food use is not accidental. Blue is not a colour found in any foodstuffs, and therefore in the case of cuts to the glove, any fragments can be immediately identified, thus eliminating the risk of contaminating the food. With a view to HACCP guidelines, and therefore Risk Analysis, the use of a blue glove is clearly a suitable precautionary measure.





| SUITABILITY WITH THE MOST COMMON FOODS   |           |       |         |       |
|--|-----------|-------|---------|-------|
| FOOD   | FOOD LINE | LATEX | NITRILE | VINYL |
| ALCOHOLIC BEVERAGES  | ●         | ●     | ●       | ●     |
| BISCUIT PRODUCTS, BAKERY, FRESH AND DRY PASTRIES   | ●         | ●     | ●       | ●     |
| CHOCOLATE, SUGAR AND THEIR PRODUCTS, CONFECTIONERY AND HONEY   | ●         | ●     | ●       | ●     |
| FRUITS AND VEGETABLES  | ●         | ●     | ●       | ●     |
| DAIRY PRODUCTS: MILK, YOGHURT, CHEESE  | ●         | ●     | ●       | ●     |
| FRESH FISH, CHILLED, SMOKED, CRUSTACEANS AND MOLLUSCS; MEATS OF EACH SPECIES FRESH CHILLES AND SMOKED, HAM, SALAMI | ●         | ●     | ●       | ●     |
| VINEGAR, DRINK UNFILTERED OR TURBID COFFEE, TEA, BEERS, SOFT DRINKS  | ●         | ●     | ●       | ●     |
| FATS AND OILS: BUTTER, LARD, MARGARINE, EGG YOLK AND EGG WHITE. MISCELLANEOUS REASTED OR FIRED FOODS, SANDWICHES   | ●         | ●     | ●       | ●     |
| SAUCES, SPICES AND AROMAS  | ●         | ●     | ●       | ●     |

Summary table showing the results of the tests carried out by Reflexx at certified laboratories on all of the Reflexx products, including those not belonging to the FOOD line.

● Suitable    ● Unsuitable    ● Check the information

## The Italian Chefs Federation approves the Reflexx Food Line

Nowadays, most Italian professional chefs use gloves from the Reflexx Food line in their everyday work. A milestone resulting from the partnership born between F.I.C. and Reflexx now 5 years ago.



## ACADEMIA BARILLA

The first center dedicated to Italian gastronomic culture has chosen the quality of Reflexx gloves.

ACADEMIA  
**BARILLA**



# REFLEX 77

 Main sectors  
of use


## ULTRA THIN NITRILE GLOVES

### LIKE A SECOND SKIN

**Carefully-selected raw materials**, 100% controlled. Technologically advanced production systems make this model particularly suitable for food use.

**3.0 g weight**, ultra-thin, for unprecedented sensitivity while material's top quality provides excellent resistance.

**The absence of powder** reduces the risk of food contamination or dermatitis.


**100% FOOD**

## Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 3.0 g +/- 0.2 (M) | <b>Colour</b>  | Light Blue         |
| <b>Palm thickness</b> | 0.06 mm +/- 0.02  | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Inner chlorination |


## Food Suitability



|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✓ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓ | <b>Dry food</b>    | ✓ |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type C                                 |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



## Allergens



## Chemical Features



## Product codes - EAN

| CODE/SIZE         | EAN DISPENSER | EAN CARTON BOX |
|-------------------|---------------|----------------|
| <b>R77100F/S</b>  | 8032891633878 | 8032891638873  |
| <b>R77100F/M</b>  | 8032891633892 | 8032891638897  |
| <b>R77100F/L</b>  | 8032891633922 | 8032891638927  |
| <b>R77100F/XL</b> | 8032891633953 | 8032891638958  |

## Packing



# REFLEX 72

Main sectors  
of use



## RELIABLE AND RESISTANT NITRILE GLOVES

### APPROVED BY USERS SINCE 2015

One of the first gloves on the market to be specifically developed for contact with all foods.

Tested and loved by millions of professional users since 2015.

**3.5 g weight** is the ideal balance between sensitivity, resistance and durability.

**The absence of powder** reduces the risk of food contamination or dermatitis.



**100% FOOD**

## Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 3.5 g +/- 0.2 (M) | <b>Colour</b>  | Light Blue         |
| <b>Palm thickness</b> | 0.07 mm +/- 0.02  | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Inner chlorination |

## Food Suitability

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✓ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓ | <b>Dry food</b>    | ✓ |



## Certifications

|                          |                                  |
|--------------------------|----------------------------------|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                  |
| <b>EN ISO 374-1:2016</b> | Type C                           |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi)  |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4 |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011   |
| <b>AQL</b>               | ≤1,5                             |



## Allergens



## Chemical Features



## Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>R72/S</b>  | 8032891633298 | 8032891637593  |
| <b>R72/M</b>  | 8032891633304 | 8032891637609  |
| <b>R72/L</b>  | 8032891633311 | 8032891637616  |
| <b>R72/XL</b> | 8032891633328 | 8032891637623  |

## Packing



# REFLEXX T22

Main sectors  
of use



## THERMOPLASTIC ELASTOMER GLOVES (TPE)

### STRETCH

Easy donning and removal thanks to the wide cuff and the availability of several sizes. Its rough surface allows a secure grip and increased sensitivity.

Good resistance and elasticity in comparison to polyethylene gloves (HDPE and CPE) thanks to increased thickness and the use of more flexible materials (TPE).



Great value for money if the glove is needed just for hygienic purpose.

**The absence of powder** reduces the risk of food contamination or dermatitis.



100% FOOD

### Features

|                       |                   |                |                 |
|-----------------------|-------------------|----------------|-----------------|
| <b>Weight</b>         | 2.0 g +/- 0.1 (M) | <b>Colour</b>  | Blue            |
| <b>Palm thickness</b> | 0.05 mm +/- 0.003 | <b>Surface</b> | Micro-roughened |
| <b>Length</b>         | 27 cm             | <b>Other</b>   | Powder free     |

### Food Suitability

Tested for 2h at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✓ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓ | <b>Dry food</b>    | ✓ |



### Certifications

|                     |                 |
|---------------------|-----------------|
| <b>PPE Cat. I</b>   | Reg EU 2016/425 |
| <b>Food Contact</b> | REG EU 10/2011  |



### Allergens



### Chemical Features



### Product codes - EAN

| CODE/SIZE    | EAN DISPENSER | EAN CARTON BOX |
|--------------|---------------|----------------|
| <b>T22/S</b> | 8032891634882 | 8032891639887  |
| <b>T22/M</b> | 8032891634899 | 8032891639894  |
| <b>T22/L</b> | 8032891634905 | 8032891639900  |

### Packing





# REFLEX 95

Main sectors  
of use



## UNLINED NITRILE GLOVES

### 33 CM REUSABLE GLOVES

Ideal for the food industry for the handling of sharp-surfaced foods such as fish, crustaceans, bones, etc.  
Also ideal for use as reusable Latex-Free gloves.

**Do not contain MBT (mercaptobenzothiazole, accelerator used in production)** which is subject to restrictions according to FCM regulations.

Sold in pairs.



100% FOOD

## Features

|                       |                    |                |                   |
|-----------------------|--------------------|----------------|-------------------|
| <b>Weight</b>         | 44.0 g +/- 5.0 (M) | <b>Colour</b>  | Blue              |
| <b>Palm thickness</b> | 0.22 mm +/- 0.03   | <b>Surface</b> | Anti-slip pattern |
| <b>Length</b>         | 33 cm              | <b>Other</b>   | Unlined           |

**Food Suitability** Tested for 30' at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✓ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓ | <b>Dry food</b>    | ✓ |



## Certifications

|                          |                                 |
|--------------------------|---------------------------------|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                 |
| <b>EN ISO 374-1:2016</b> | Type B / KOPT                   |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi) |
| <b>EN ISO 388:2016</b>   | 2101X                           |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011  |
| <b>AQL</b>               | ≤1,5                            |



## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.

## Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>R95/S</b>  | 8032891632543 | 8032891637548  |
| <b>R95/M</b>  | 8032891632550 | 8032891637555  |
| <b>R95/L</b>  | 8032891632567 | 8032891637562  |
| <b>R95/XL</b> | 8032891632574 | 8032891637579  |

## Packing



\* 5 masterbag of 10 packs each

# REFLEX N81

Main sectors  
of use



## ULTRA THIN NITRILE GLOVES

### FOOD SERVICE

**3.0 g weight** for maximum sensitivity and good resistance.

Disposable, ambidextrous, powder free and 100% latex free.

Black nitrile glove suitable for every Ho.Re. Ca service.

**The absence of powder** reduces the risk of food contamination or dermatitis.



**FOOD SERVICE  
ULTRA THIN**

## Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 3.2 g +/- 0.2 (M) | <b>Colour</b>  | Black              |
| <b>Palm thickness</b> | 0.06 mm +/- 0.02  | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Inner chlorination |

**Food Suitability** Tested for 30' at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✗ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓ | <b>Dry food</b>    | ✓ |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type C                                 |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.

## Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>N81/S</b>  | 8032891630075 | 8032891635070  |
| <b>N81/M</b>  | 8032891630082 | 8032891635087  |
| <b>N81/L</b>  | 8032891630099 | 8032891635094  |
| <b>N81/XL</b> | 8032891630105 | 8032891635100  |

## Packing



## REFLEXX CARE LINE: WE CARE ABOUT YOUR HANDS

The gloves are used in many jobs for several hours a day and we are aware that they can cause troubles for the most sensitive subjects. We are firmly convinced that hands are one of the most important tools for any job and everyday life and that is why we have decided to develop the REFLEXX CARE line that responds innovatively and qualitatively to your hands NUTRITION and PROTECTION needs.

### THE LOGO

This is the logo that distinguishes the gloves of the Care line, particularly recommended for skin care.



### ACCELERATOR-FREE GLOVES

Do you often have your hands irritated, reddened, swollen though not using latex gloves?

You have most likely developed a type IV (delayed hypersensitivity) allergy to chemical elements. The causes of these types of allergies in relation to the use of gloves, are due to chemical additives and probably to accelerating agents (eg thiurames, carbamates, benzothiazoles) used during the production process.

**Low Derma™** is the patented technology involved in the production of hypoallergenic nitrile gloves. These particular gloves provide all-round protection to the worker.



**Patented Technology \***

### ALOE VERA GLOVES

Aloe vera is just one of the many aloe species, but undoubtedly, the most used both in cosmetics and health. It is a plant known since ancient times for its interesting properties.





# Reflexx takes case of the environment

*"The disposable glove is an essential device for safety and prevention, as well as an indicator of progress. **A consumption increase between 5% and 10% is estimated** for the next few years and nitrile gloves will drive this growth.*


*Gloves contaminated by biological and/or chemical agents are disposed of as special waste (incinerated) while in the absence of contamination they are disposed of as unsorted waste in waste-to-energy plants or landfills. **Specifically to reduce the huge volume of waste in landfills, a technology has been designed that accelerates its biodegradation** compared to common nitrile gloves, helping to actively reduce the volume of waste. A small contribution to the problem of global waste management, but still a step towards the future."*

*Gianni Isetti*

CEO Reflexx S.p.A.

## Reflexx NBio vs common nitrile glove:

**accelerated biodegradation** in test conditions according to ASTM D5511 which reproduce the anaerobic environment typical of biologically active landfills.



## How does anaerobic biodegradation take place?

Disposal in biologically active landfills

The microorganisms present in the soil release enzymes that break down the polymer chains

Decomposer bacteria digest smaller molecules

Biogas and biomass are generated from the decomposition process





# Reflexx NBio is the way!

Same Reflexx quality but better for the planet!

**Accelerated biodegradation in test conditions (according to ASTM D5511) that simulate the anaerobic environment typical of active landfills than a regular nitrile glove.**

Disposable, ambidextrous and 100% latex free.

**Not compostable.**

 Weight: 3.5 g

 Powder Free



**NITRILE  
ECO-FRIENDLY**

| CODE / SIZE | NBio XS | NBio S | NBio M | NBio L | NBio XL |
|-------------|---------|--------|--------|--------|---------|
|-------------|---------|--------|--------|--------|---------|

| FEATURES       |                   |
|----------------|-------------------|
| WEIGHT         | 3.5 g +/- 0.2 (M) |
| PALM THICKNESS | 0.07 mm +/- 0.02  |
| LENGTH         | 24 cm             |
| COLOUR         | Light green       |
| SURFACE        | Micro-roughened   |

| FOOD SUITABILITY  |   |
|--|---|
| AQUEOUS  | ✓ |
| ACID pH ≤4.5   | ✗ |
| DAIRY  | ✗ |
| ALCOHOLIC  | ✓ |
| OILY, FATTY  | ✓ |
| DRY FOOD   | ✓ |



Tested for 30' at 40°

## CERTIFICATIONS



## REGULATIONS ALLERGENS CHEMICAL FEATURES PACKING

REG EU 2016/425  
EN ISO 374-1, EN ISO 374-5  
REG EU 2017/745 | EN 455 1,2,3,4  
DM 21/03/1973 | REG EU 10/2011



# REFLEX L600

 Main sectors  
of use


## LATEX GLOVES WITH ALOE VERA

### HIGH THICKNESS

**LOW PROTEIN:** protein content below 50 µg/g, limiting the risk of allergies and increasing biocompatibility.

The heat and humidity of the hand reactivate the beneficial properties of Aloe Vera.

Internally chlorinated for easy donning. Micro-roughened surface to increase the grip.


**ALOE VERA**

## Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 6.2 g +/- 0.3 (M) | <b>Colour</b>  | Green              |
| <b>Palm thickness</b> | 0.12 mm +/- 0.03  | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Inner chlorination |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type C                                 |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>AQL</b>               | ≤1,5                                   |

## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.



## Product codes - EAN

| CODE/SIZE      | EAN DISPENSER | EAN CARTON BOX |
|----------------|---------------|----------------|
| <b>L600/XS</b> | 8032891632130 | 8032891637135  |
| <b>L600/S</b>  | 8032891632147 | 8032891637142  |
| <b>L600/M</b>  | 8032891632154 | 8032891637159  |
| <b>L600/L</b>  | 8032891632161 | 8032891637166  |
| <b>L600/XL</b> | 8032891632178 | 8032891637173  |

## Packing



# REFLEX N350

Main sectors  
of use



## HYPOALLERGENIC NITRILE GLOVES

### ACCELERATORS-FREE

**Low Derma™** is the result of a special proven and reliable production technology that **eliminates most of the causes of type IV allergies**: accelerating agents.

**Sulfur-free and accelerators-free** - e.g. thiurames, carbamates, benzothiazoles..

Improved elasticity and force at breakability.

Internally chlorinated for easy donning.

**The absence of powder** reduces the risk of dermatitis and contamination.




**LOW DERMA™**

## Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 3.2 g +/- 0.2 (M) | <b>Colour</b>  | Blue               |
| <b>Palm thickness</b> | 0.06 mm +/- 0.02  | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Inner chlorination |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type B / KPT                           |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



## Allergens



## Chemical Features



## Food Suitability

Tested for 30' at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✗ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓ | <b>Dry food</b>    | ✓ |


## Product codes - EAN

| CODE/SIZE      | EAN DISPENSER | EAN CARTON BOX |
|----------------|---------------|----------------|
| <b>N350/XS</b> | 8032891633731 | 8032891638736  |
| <b>N350/S</b>  | 8032891633748 | 8032891638743  |
| <b>N350/M</b>  | 8032891633755 | 8032891638750  |
| <b>N350/L</b>  | 8032891633762 | 8032891638767  |
| <b>N350/XL</b> | 8032891633779 | 8032891638774  |

## Packing



# NITRILE



## WHY CHOOSE IT:

Chemical polyvalent resistance





































Good mechanical resistance


Low migration to food





NITRILE GLOVES: COMPARISON TABLE

| PRODUCT            | DURABILITY  | SENSITIVITY   | CHEMICAL RESISTANCE   |
|--------------------|---|---|---|
| REFLEXX 99         |    |    |    |
| REFLEXX N79 PLUS   |    |    |    |
| REFLEXX N85        |    |    |    |
| REFLEXX 67         |    |    |    |
| REFLEXX N69        |    |    |    |
| REFLEXX 68         |  |  |  |
| REFLEXX 70         |  |  |  |
| REFLEXX N71        |  |  |  |
| REFLEXX 78         |  |  |  |
| REFLEXX 76         |  |  |  |
| REFLEXX 77         |  |  |  |
| REFLEXX N80B / N82 |  |  |  |



# REFLEXX 99 NHR

Main sectors  
of use



## HIGH RISK NITRILE GLOVES

### X-LONG CUFF 29 CM

High Resistance gloves.

Increased thickness and length pulling the wrist over the garments.

Micro-roughened surface to increase the grip and the sensitiveness.

**The absence of powder** reduces the risk of dermatitis and contamination.



**EXTRA LONG  
EXTRA STRONG**

## Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 8.8 g +/- 0.5 (M) | <b>Colour</b>  | Indigo             |
| <b>Palm thickness</b> | 0.15 mm +/- 0.03  | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 29 cm             | <b>Other</b>   | Inner chlorination |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type B / KPT                           |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



## Allergens



## Chemical Features



## Food Suitability

Tested for 30' at 40°



|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✓ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓ | <b>Dry food</b>    | ✓ |

## Product codes - EAN

| CODE/SIZE      | EAN DISPENSER | EAN CARTON BOX |
|----------------|---------------|----------------|
| <b>R99/S</b>   | 8032891632031 | 8032891637036  |
| <b>R99/M</b>   | 8032891632048 | 8032891637043  |
| <b>R99/L</b>   | 8032891632055 | 8032891637050  |
| <b>R99/XL</b>  | 8032891632062 | 8032891637067  |
| <b>R99/XXL</b> | 8032891632079 | 8032891637074  |

## Packing



# REFLEX N79 Plus

Main sectors  
of use



## X-LONG NITRILE GLOVES

### X-LONG CUFF 30 CM

Long cuff for better protection pulling the wrist over the garment.  
The enhanced thickness guarantees a better mechanical resistance.

Micro-roughened surface to increase the grip and the sensitiveness.

**The absence of powder** reduces the risk of dermatitis and contamination.



**EXTRA LONG**

## Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 7.7 g +/- 0.4 (M) | <b>Colour</b>  | Black              |
| <b>Palm thickness</b> | 0.14 mm +/- 0.03  | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 30 cm             | <b>Other</b>   | Inner chlorination |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type B / KPTJ                          |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>AQL</b>               | ≤1,5                                   |



## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.

## Product codes - EAN

| CODE/SIZE      | EAN DISPENSER | EAN CARTON BOX |
|----------------|---------------|----------------|
| <b>N79P/S</b>  | 8032891633540 | 8032891638545  |
| <b>N79P/M</b>  | 8032891633557 | 8032891638552  |
| <b>N79P/L</b>  | 8032891633564 | 8032891638569  |
| <b>N79P/XL</b> | 8032891633571 | 8032891638576  |

## Packing



# REFLEXX N85

Main sectors  
of use



## POWDER FREE NITRILE GLOVES

### FULL GRIP 3D

Special **3D grip** on the whole palm and fingers for improved grip.

The special orange colour helps the worker in low light conditions.

**Heavy duty:** high weight makes the glove particularly suitable for heavy duty usage.

The special diamond finish on the entire palm and fingers guarantees an optimal grip even with wet and slippery products.



**FULL GRIP  
HEAVY DUTY**

## Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 8.4 g +/- 0.4 (M) | <b>Colour</b>  | Orange             |
| <b>Palm thickness</b> | 0.15 mm +/- 0.20  | <b>Surface</b> | 3D FULL GRIP       |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Inner chlorination |

## Certifications

|                          |                                 |
|--------------------------|---------------------------------|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                 |
| <b>EN ISO 374-1:2016</b> | Type B / KPTJ                   |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi) |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011  |
| <b>AQL</b>               | ≤1,5                            |

## Allergens



## Chemical Features



## Food Suitability

Tested for 30' at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | X | <b>Alcoholic</b>   | X |
| <b>Acid pH≤4.5</b> | X | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | X | <b>Dry food</b>    | ✓ |



## Product codes - EAN

| CODE/SIZE      | EAN DISPENSER | EAN CARTON BOX |
|----------------|---------------|----------------|
| <b>N85/M</b>   | 8032891633793 | 8032891638798  |
| <b>N85/L</b>   | 8032891633830 | 8032891638835  |
| <b>N85/XL</b>  | 8032891633816 | 8032891638811  |
| <b>N85/XXL</b> | 8032891633854 | 8032891638859  |

## Packing





# REFLEX N85

Main sectors  
of use




## POWDER FREE NITRILE GLOVES

### FULL GRIP 3D

Special **3D grip** on the whole palm and fingers for improved grip.

**Heavy duty:** high weight makes the glove particularly suitable for heavy duty usage.

The special diamond finish on the entire palm and fingers guarantees an optimal grip even with wet and slippery products.



**FULL GRIP  
HEAVY DUTY**

## Features

|                       |                    |                |                    |
|-----------------------|--------------------|----------------|--------------------|
| <b>Weight</b>         | 8.4 gr +/- 0.4 (M) | <b>Colour</b>  | Black              |
| <b>Palm thickness</b> | 0.15 mm +/- 0.20   | <b>Surface</b> | 3D FULL GRIP       |
| <b>Length</b>         | 24 cm              | <b>Other</b>   | Inner chlorination |

## Certifications

|                          |                                 |
|--------------------------|---------------------------------|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                 |
| <b>EN ISO 374-1:2016</b> | Type B / KPTJ                   |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi) |
| <b>AQL</b>               | ≤1,5                            |



## Allergens



## Chemical Features



## Product codes - EAN

| CODE/SIZE       | EAN DISPENSER | EAN CARTON BOX |
|-----------------|---------------|----------------|
| <b>N85B/M</b>   | 8032891634059 | 8032891639054  |
| <b>N85B/L</b>   | 8032891634066 | 8032891639061  |
| <b>N85B/XL</b>  | 8032891634073 | 8032891639078  |
| <b>N85B/XXL</b> | 8032891634080 | 8032891639085  |

## Packing



# REFLEX 67

 Main sectors  
of use


## STRONG NITRILE GLOVES

### ENHANCED THICKNESS

The **higher thickness** guarantees a better mechanical strength.

**Good resistance to oils, fats and to a wide variety of chemicals.**

The micro-finish rough increases grip, tactile sensitivity and dexterity.


**STRONG**

## Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 5.5 g +/- 0.3 (M) | <b>Colour</b>  | Black              |
| <b>Palm thickness</b> | 0.11 mm +/- 0.02  | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Inner chlorination |

## Certifications

|                          |                                 |
|--------------------------|---------------------------------|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                 |
| <b>EN ISO 374-1:2016</b> | Type B / KPTJ                   |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi) |
| <b>AQL</b>               | ≤1,5                            |



## Allergens



## Chemical Features



## Product codes - EAN

| CODE/SIZE      | EAN DISPENSER | EAN CARTON BOX |
|----------------|---------------|----------------|
| <b>R67/M</b>   | 8032891633045 | 8032891638040  |
| <b>R67/L</b>   | 8032891633052 | 8032891638057  |
| <b>R67/XL</b>  | 8032891633069 | 8032891638064  |
| <b>R67/XXL</b> | 8032891633076 | 8032891638071  |

## Packing



# REFLEX N69

Main sectors  
of use



## POWDER FREE NITRILE GLOVES

### EXTRA STRONG

Its **high thickness** makes it the perfect mix between chemical resistance, mechanical resistance and dexterity.

Micro-roughened surface to increase the grip and the sensitiveness.

The **absence of powder** reduces the risk of dermatitis and contamination.




**EXTRA STRONG**

## Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 7.0 g +/- 0.4 (M) | <b>Colour</b>  | Light Blue         |
| <b>Palm thickness</b> | 0.13 mm +/- 0.03  | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Inner chlorination |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type B / KPT                           |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.

## Food Suitability

Tested for 30' at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✗ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓ | <b>Dry food</b>    | ✓ |

## Product codes - EAN

| CODE/SIZE      | EAN DISPENSER | EAN CARTON BOX |
|----------------|---------------|----------------|
| <b>N69/S</b>   | 8032891634417 | 8032891639412  |
| <b>N69/M</b>   | 8032891634424 | 8032891639429  |
| <b>N69/L</b>   | 8032891634431 | 8032891639436  |
| <b>N69/XL</b>  | 8032891634448 | 8032891639443  |
| <b>N69/XXL</b> | 8032891634455 | 8032891639450  |

## Packing



# REFLEX 68

Main sectors  
of use



## EXTRA STRONG NITRILE GLOVES

### RESISTANT AND COMFORTABLE

The **enhanced thickness** guarantees a better mechanical resistance.

The very high nitrile quality makes it particularly soft and comfortable

Micro-roughened surface to increase the grip and the sensitiveness.

The **absence of powder** reduces the risk of dermatitis and contamination.



**EXTRA STRONG**

### Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 6.0 g +/- 0.3 (M) | <b>Colour</b>  | Green              |
| <b>Palm thickness</b> | 0.12 mm +/- 0.03  | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Inner chlorination |

### Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type B / KPT                           |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



### Allergens



### Chemical Features



Silicon is not present in the gloves' composition.

### Food Suitability

Tested for 30' at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✗ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✗ | <b>Dry food</b>    | ✓ |

### Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>R68/S</b>  | 8032891632444 | 8032891637449  |
| <b>R68/M</b>  | 8032891632451 | 8032891637456  |
| <b>R68/L</b>  | 8032891632468 | 8032891637463  |
| <b>R68/XL</b> | 8032891632475 | 8032891637470  |

### Packing



# REFLEX 70

Main sectors  
of use



## TOP QUALITY NITRILE GLOVES

### BEST SELLER

Disposable, ambidextrous, powder free and 100% latex free.

**Very resistant product with a wide variety of uses.**

Micro-roughened surface to increase the grip and the sensitiveness.

**The absence of powder** reduces the risk of dermatitis and contamination.



**TOP QUALITY  
NITRILE**

## Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 4.9 g +/- 0.3 (M) | <b>Colour</b>  | Light Blue         |
| <b>Palm thickness</b> | 0.10 mm +/- 0.02  | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Inner chlorination |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type B / KPT                           |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



## Allergens



## Chemical Features



## Food Suitability

Tested for 30' at 40°

\*use ≤10'

|                    |    |                    |   |
|--------------------|----|--------------------|---|
| <b>Aqueous</b>     | ✓  | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✓* | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓  | <b>Dry food</b>    | ✓ |

## Product codes - EAN

| CODE/SIZE      | EAN DISPENSER | EAN CARTON BOX |
|----------------|---------------|----------------|
| <b>R70/S</b>   | 8032891631485 | 8032891636480  |
| <b>R70/M</b>   | 8032891631492 | 8032891636497  |
| <b>R70/L</b>   | 8032891631508 | 8032891636503  |
| <b>R70/XL</b>  | 8032891631515 | 8032891636510  |
| <b>R70/XXL</b> | 8032891633519 | 8032891638514  |

## Packing





# REFLEXX N71

Main sectors  
of use



## POWDER FREE NITRILE GLOVES

### MULTI-USE, HYPOALLERGENIC

This **hypoallergenic** glove is the result of a special, proven and reliable production technology that **eliminates most of the causes of type IV allergies**: accelerating agents.

Micro-roughened surface to increase the grip and the sensitiveness.

The **absence of powder** reduces the risk of dermatitis and contamination.



**HYPOALLERGENIC**

## Features

|                       |                    |                |                    |
|-----------------------|--------------------|----------------|--------------------|
| <b>Weight</b>         | 4.2 g +/- 0.02 (M) | <b>Colour</b>  | Blue               |
| <b>Palm thickness</b> | 0.09 mm +/- 0.02   | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 24 cm              | <b>Other</b>   | Inner chlorination |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type B / KPT                           |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



## Allergens



## Chemical Features



## Food Suitability

Tested for 30' at 40°

\*use ≤10'



|                    |    |                    |   |
|--------------------|----|--------------------|---|
| <b>Aqueous</b>     | ✓  | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✓* | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓  | <b>Dry food</b>    | ✓ |

## Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>N71/S</b>  | 8032891634479 | 8032891639474  |
| <b>N71/M</b>  | 8032891634486 | 8032891639481  |
| <b>N71/L</b>  | 8032891634493 | 8032891639498  |
| <b>N71/XL</b> | 8032891634509 | 8032891639504  |

## Packing



# REFLEX 78

Main sectors  
of use



## BLACK NITRILE GLOVES

### SUITABLE FOR SEVERAL USES

Black colour. Disposable, ambidextrous, powder free and 100% latex free.

Micro-roughened surface to increase the grip and the sensitiveness.

**The absence of powder** reduces the risk of dermatitis and contamination.

Suitable for the contact with most types of food.




**BLACK**

## Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 4.0 g +/- 0.2 (M) | <b>Colour</b>  | Black              |
| <b>Palm thickness</b> | 0.08 mm +/- 0.02  | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Inner chlorination |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type C                                 |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



VIRUS



## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.

## Food Suitability

Tested for 30' at 40°

\*use ≤10'



|                    |    |                    |    |
|--------------------|----|--------------------|----|
| <b>Aqueous</b>     | ✓  | <b>Alcoholic</b>   | ✓* |
| <b>Acid pH≤4.5</b> | ✗  | <b>Oily, fatty</b> | ✓  |
| <b>Dairy</b>       | ✓* | <b>Dry food</b>    | ✓  |

## Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>R78/XS</b> | 8032891633595 | 8032891638590  |
| <b>R78/S</b>  | 8032891631928 | 8032891636923  |
| <b>R78/M</b>  | 8032891631935 | 8032891636930  |
| <b>R78/L</b>  | 8032891631942 | 8032891636947  |
| <b>R78/XL</b> | 8032891631959 | 8032891636954  |

## Packing



# REFLEX 76

Main sectors  
of use



## SOFT NITRILE GLOVES

### SOFT AND ELASTIC

Enhanced elasticity, sensitivity and softness.

Micro-roughened surface to increase the grip and the sensitiveness.

**The absence of powder** reduces the risk of food contamination or dermatitis.



SOFT

## Features

|                       |                   |                 |                    |
|-----------------------|-------------------|-----------------|--------------------|
| <b>Weight</b>         | 3.5 g +/- 0.2 (M) | <b>M Colour</b> | Light Blue         |
| <b>Palm thickness</b> | 0.07 mm +/- 0.02  | <b>Surface</b>  | Micro-roughened    |
| <b>Length</b>         | 24 cm             | <b>Other</b>    | Inner chlorination |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type C                                 |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



VIRUS



## Allergens



## Chemical Features



## Food Suitability

Tested for 30' at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✗ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✗ | <b>Dry food</b>    | ✓ |

## Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>R76/XS</b> | 8032891631874 | 8032891636879  |
| <b>R76/S</b>  | 8032891631881 | 8032891636886  |
| <b>R76/M</b>  | 8032891631898 | 8032891636893  |
| <b>R76/L</b>  | 8032891631904 | 8032891636909  |
| <b>R76/XL</b> | 8032891631911 | 8032891636916  |

## Packing



# REFLEX 77

Main sectors  
of use



## ULTRA THIN NITRILE GLOVES

### LIKE A SECOND SKIN

**Carefully-selected raw materials** and 100% controlled, technologically advanced production systems make this model particularly suitable for food use.

**3.0 g weight** makes them ultra-thin for unprecedented sensitivity while material's top quality provides excellent resistance.

**The absence of powder** reduces the risk of food contamination or dermatitis.



**ULTRA THIN  
TOP QUALITY**

## Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 3.0 g +/- 0.2 (M) | <b>Colour</b>  | Lilght Blue        |
| <b>Palm thickness</b> | 0.06 mm +/- 0.02  | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Inner chlorination |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type C                                 |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



## Allergens



## Chemical Features



## Food Suitability

Tested for 30' at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✓ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓ | <b>Dry food</b>    | ✓ |

## Product codes - EAN

| CODE/SIZE        | EAN DISPENSER | EAN CARTON BOX |
|------------------|---------------|----------------|
| <b>R77100/XS</b> | 8032891633465 | 8032891638460  |
| <b>R77100/S</b>  | 8032891633472 | 8032891638477  |
| <b>R77100/M</b>  | 8032891633489 | 8032891638484  |
| <b>R77100/L</b>  | 8032891633496 | 8032891638491  |
| <b>R77100/XL</b> | 8032891633502 | 8032891638507  |

## Packing





# REFLEXX N82

Main sectors  
of use



## ULTRA THIN NITRILE GLOVES

### PINK

Thin glove to guarantee high sensitivity.

Ideal for use in the dental, cosmetics, piercing and nails sectors.

The micro-rough surface on the fingertips allows maximum precision in the work.

**The absence of powder** reduces the risk of food contamination or dermatitis.



**PINK  
SENSITIVE**

## Features

|                       |                   |
|-----------------------|-------------------|
| <b>Weight</b>         | 3.2 g +/- 0.2 (M) |
| <b>Palm thickness</b> | 0.06 mm +/- 0.02  |
| <b>Length</b>         | 24 cm             |

|                |                    |
|----------------|--------------------|
| <b>Colour</b>  | Pink               |
| <b>Surface</b> | Micro-roughened    |
| <b>Other</b>   | Inner chlorination |

## Certifications

|                       |                                  |
|-----------------------|----------------------------------|
| <b>PPE Cat. I</b>     | Reg EU 2016/425                  |
| <b>Medical Device</b> | REG EU 2017/745   EN 455 1,2,3,4 |
| <b>AQL</b>            | ≤1,5                             |

## Allergens



## Chemical Features



## Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>N82/XS</b> | 8032891630341 | 8032891635346  |
| <b>N82/S</b>  | 8032891630358 | 8032891635353  |
| <b>N82/M</b>  | 8032891630365 | 8032891635360  |
| <b>N82/L</b>  | 8032891630372 | 8032891635377  |

## Packing



# REFLEX N80B

Main sectors  
of use



## ULTRA THIN NITRILE GLOVES

### MULTI - USE

Disposable, ambidextrous, powder free and 100% latex free.

This glove is suitable for several uses thanks to its great versatility.

**The absence of powder** reduces the risk of food contamination or dermatitis.

Also available in packs of 200 pcs.



ULTRA THIN

## Features

|                |                   |         |                    |
|----------------|-------------------|---------|--------------------|
| Weight         | 3.2 g +/- 0.2 (M) | Colour  | Light Blue         |
| Palm thickness | 0.06 mm +/- 0.02  | Surface | Micro-roughened    |
| Length         | 24 cm             | Other   | Inner chlorination |

## Certifications

|                   |  |
|-------------------|--|
| PPE Cat. III      | Reg EU 2016/425                        |
| EN ISO 374-1:2016 | Type C                                 |
| EN ISO 374-5:2016 | Microorganisms (bacteria/fungi), VIRUS |
| Medical Device    | REG EU 2017/745   EN 455 1,2,3,4       |
| Food Contact      | DM 21/03/1973   REG EU 10/2011         |
| AQL               | ≤1,5                                   |



**Food Suitability** Tested for 30' at 40°

|             |   |             |   |
|-------------|---|-------------|---|
| Aqueous     | ✓ | Alcoholic   | ✓ |
| Acid pH≤4.5 | ✗ | Oily, fatty | ✓ |
| Dairy       | ✗ | Dry food    | ✓ |

## Product codes - EAN

| CODE/SIZE | EAN DISPENSER | EAN CARTON BOX | CODE/SIZE  | EAN DISPENSER | EAN CARTON BOX |
|-----------|---------------|----------------|------------|---------------|----------------|
| N80B/XS   | 8032891630181 | 8032891635186  | N80B200/XS | 8032891630198 | 8032891635193  |
| N80B/S    | 8032891631065 | 8032891636060  | N80B200/S  | 8032891630143 | 8032891635148  |
| N80B/M    | 8032891631072 | 8032891636077  | N80B200/M  | 8032891630150 | 8032891635155  |
| N80B/L    | 8032891631089 | 8032891636084  | N80B200/L  | 8032891630167 | 8032891635162  |
| N80B/XL   | 8032891631096 | 8032891636091  | N80B200/XL | 8032891630174 | 8032891635179  |

## Allergens



## Chemical Features



## Packing



# LATEX



## WHY CHOOSE IT:

Great elasticity even at low temperatures

Waterproof

Made out of natural latex

## WHY AVOID IT:

Possible sensitizations in predisposed subjects

Unpredictable raw material costs







# REFLEXX 98 HR

 Main sectors  
of use


## POWDER FREE HIGH RISK LATEX GLOVES

**X-LONG CUFF 30 CM**
**Very high resistance thanks to 18.5 g weight – High Risk!**
**LOW PROTEIN:** protein content below 50 µg/g.

**Internally chlorinated** for easy donning and to reduce the risk of allergies and dermatitis.

**EN ISO 374-1:2016 TYPE A**  
(certified with 6 chemicals)

**EXTRA LONG  
EXTRA STRONG**

## Features

|                       |                    |                |                    |
|-----------------------|--------------------|----------------|--------------------|
| <b>Weight</b>         | 18.5 g +/- 1.0 (M) | <b>Colour</b>  | Blue               |
| <b>Palm thickness</b> | 0.33 mm +/- 0.06   | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 30 cm              | <b>Other</b>   | Inner chlorination |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type A / KPLMTJ                        |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



## Allergens



## Chemical Features



## Food Suitability

Tested for 30' at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | X |
| <b>Acid pH≤4.5</b> | X | <b>Oily, fatty</b> | X |
| <b>Dairy</b>       | ✓ | <b>Dry food</b>    | ✓ |

## Product codes - EAN

| CODE/SIZE      | EAN DISPENSER | EAN CARTON BOX |
|----------------|---------------|----------------|
| <b>R98/S</b>   | 8032891631836 | 8032891636831  |
| <b>R98/M</b>   | 8032891631843 | 8032891636848  |
| <b>R98/L</b>   | 8032891631850 | 8032891636855  |
| <b>R98/XL</b>  | 8032891631867 | 8032891636862  |
| <b>R98/XXL</b> | 8032891632680 | 8032891637685  |

## Packing



# REFLEX 44

Main sectors  
of use




## BLACK LATEX GLOVES

### EXTRA RESISTANT

**LOW PROTEIN:** protein content below 50 µg/g, limiting the risk of allergies and increasing biocompatibility.

**Higher thickness** for better strength.

**Externally chlorinated** to increase resistance and grip in greasy conditions.  
**Internally chlorinated** for easy donning and to reduce the risk of allergies and dermatitis.



**EXTRA RESISTANT**

## Features

|                       |                   |                |                          |
|-----------------------|-------------------|----------------|--------------------------|
| <b>Weight</b>         | 6.2 g +/- 0.3 (M) | <b>Colour</b>  | Black                    |
| <b>Palm thickness</b> | 0.12 mm +/- 0.03  | <b>Surface</b> | Micro-roughened          |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Inner/outer chlorination |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type C                                 |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>AQL</b>               | ≤1,5                                   |



## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.

## Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>R44/S</b>  | 8032891632192 | 8032891637197  |
| <b>R44/M</b>  | 8032891632208 | 8032891637203  |
| <b>R44/L</b>  | 8032891632215 | 8032891637210  |
| <b>R44/XL</b> | 8032891632222 | 8032891637227  |

## Packing



# REFLEXX 46

Main sectors  
of use



## POWDER FREE LATEX GLOVES

### TOP QUALITY

High quality product, tested and valued by the market for 20 years.

Great elasticity, sensitivity and impermeability obtained thanks to the high technology of production and selection of raw materials.

**LOW PROTEIN:** protein content below 50 µg/g, limiting the risk of allergies and increasing biocompatibility.

**Internally chlorinated** to reduce the risk of allergies.



**TOP QUALITY  
NATURAL LATEX**

### Features

|                       |                   |                |                    |
|-----------------------|-------------------|----------------|--------------------|
| <b>Weight</b>         | 5.7 g +/- 0.3 (M) | <b>Colour</b>  | Amber              |
| <b>Palm thickness</b> | 0.10 mm +/- 0.02  | <b>Surface</b> | Micro-roughened    |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Inner chlorination |

### Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type C                                 |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



VIRUS



### Allergens



### Chemical Features



Silicon is not present in the gloves' composition.

### Food Suitability

Tested for 30' at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✗ |
| <b>Acid pH≤4.5</b> | ✗ | <b>Oily, fatty</b> | ✗ |
| <b>Dairy</b>       | ✗ | <b>Dry food</b>    | ✓ |

### Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>R46/XS</b> | 8032891631614 | 8032891636619  |
| <b>R46/S</b>  | 8032891631621 | 8032891636626  |
| <b>R46/M</b>  | 8032891631638 | 8032891636633  |
| <b>R46/L</b>  | 8032891631645 | 8032891636640  |
| <b>R46/XL</b> | 8032891631652 | 8032891636657  |

### Packing



# REFLEX 40

Main sectors  
of use



## POWDERED LATEX GLOVES

### TOP QUALITY

Lightly pre-powdered with cornstarch.

**Great flexibility, sensitivity** and impermeability.



**NATURAL LATEX**

### Features

|                       |                   |                |          |
|-----------------------|-------------------|----------------|----------|
| <b>Weight</b>         | 5.0 g +/- 0.3 (M) | <b>Colour</b>  | White    |
| <b>Palm thickness</b> | 0.07 mm +/- 0.02  | <b>Surface</b> | Smooth   |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Powdered |

### Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type C                                 |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



### Allergens



### Chemical Features



Silicon is not present in the gloves' composition.

### Food Suitability

Tested for 30' at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✗ |
| <b>Acid pH≤4.5</b> | ✗ | <b>Oily, fatty</b> | ✗ |
| <b>Dairy</b>       | ✗ | <b>Dry food</b>    | ✓ |

### Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>R40/XS</b> | 8032891631324 | 8032891636329  |
| <b>R40/S</b>  | 8032891631331 | 8032891636336  |
| <b>R40/M</b>  | 8032891631348 | 8032891636343  |
| <b>R40/L</b>  | 8032891631355 | 8032891636350  |
| <b>R40/XL</b> | 8032891631362 | 8032891636367  |

### Packing



# VINYL



## WHY CHOOSE IT:

- Doesn't contain accelerators
- Good biocompatibility
- Good value for money

## WHY AVOID IT:

- Poor elasticity and molecular cohesion
- Poor mechanical resistance





# REFLEX 36

Main sectors  
of use



## POWDER FREE VINYL GLOVES

Manufactured with specific low toxicity phthalates.

Disposable, ambidextrous, powder free and 100% latex free.

High biocompatibility.

**The absence of powder** reduces the risk of food contamination or dermatitis.



## Features

|                       |                   |                |             |
|-----------------------|-------------------|----------------|-------------|
| <b>Weight</b>         | 4.2 g +/- 0.3 (M) | <b>Colour</b>  | Transparent |
| <b>Palm thickness</b> | 0.07 mm +/- 0.02  | <b>Surface</b> | Smooth      |
| <b>Length</b>         | 24 cm             | <b>Other</b>   | Powder free |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type C                                 |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | REG EU 10/2011                         |
| <b>AQL</b>               | ≤1,5                                   |



## Allergens



## Chemical Features



## Food Suitability

Tested for 30' at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | X |
| <b>Acid pH≤4.5</b> | ✓ | <b>Oily, fatty</b> | X |
| <b>Dairy</b>       | X | <b>Dry food</b>    | ✓ |

## Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>R36/S</b>  | 8032891631430 | 8032891636435  |
| <b>R36/M</b>  | 8032891631447 | 8032891636442  |
| <b>R36/L</b>  | 8032891631454 | 8032891636459  |
| <b>R36/XL</b> | 8032891631461 | 8032891636466  |

## Packing



# POLYETHYLENE



## WHY CHOOSE IT:

Cheap

Suitable for food contact

Easy donning

## WHY AVOID IT:

Poor resistance especially in the sealing



# REFLEX T25

Main sectors  
of use



## THERMOPLASTIC ELASTOMER GLOVES (TPE)

### MEDICAL DEVICE

**Easy donning and removal** thanks to the wide cuff and the availability of several sizes.

Its rough surface allows a secure grip and increased sensitivity.

Good resistance and elasticity in comparison to polyethylene gloves (HDPE and CPE) thanks to increased thickness and the use of more flexible materials (TPE).

Recommended for medical use.



**MEDICAL DEVICE**

### Features

|                       |                   |                |                 |
|-----------------------|-------------------|----------------|-----------------|
| <b>Weight</b>         | 2.5 g +/- 0.2 (M) | <b>Colour</b>  | Blue            |
| <b>Palm thickness</b> | 0.09 mm +/- 0.01  | <b>Surface</b> | Micro-roughened |
| <b>Length</b>         | 26 cm             | <b>Other</b>   | Powder free     |

### Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type C                                 |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>Medical Device</b>    | REG EU 2017/745   EN 455 1,2,3,4       |
| <b>Food Contact</b>      | REG EU 10/2011                         |
| <b>AQL</b>               | ≤1,5                                   |



### Allergens



### Chemical Features



### Food Suitability

Tested for 2h at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✓ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓ | <b>Dry food</b>    | ✓ |

### Product codes - EAN

| CODE/SIZE    | EAN DISPENSER | EAN CARTON BOX |
|--------------|---------------|----------------|
| <b>T25/S</b> | 8032891631676 | 8032891636671  |
| <b>T25/M</b> | 8032891631683 | 8032891636688  |
| <b>T25/L</b> | 8032891631690 | 8032891636695  |

### Packing



# REFLEX 20

Main sectors  
of use



## CPE POLYETHYLENE GLOVES

**POWDER FREE, DISPOSABLE, AMBIDEXTROUS**

**Easy donning and removal** thanks to the wide cuff and the availability of several sizes.

Its rough surface allows a secure grip and increased sensitivity.

Good resistance and elasticity in comparison to normal polyethylene gloves, thanks to increased thickness and the use of more flexible materials.

**Great value for money** if the glove is needed just for hygienic purpose.



**100% FOOD**

## Features

|                       |                    |                |                 |
|-----------------------|--------------------|----------------|-----------------|
| <b>Weight</b>         | 1.6 g +/- 0.1 (M)  | <b>Colour</b>  | Blue            |
| <b>Palm thickness</b> | 0.025 mm +/- 0.003 | <b>Surface</b> | Micro-roughened |
| <b>Length</b>         | 28 cm              | <b>Other</b>   | Powder free     |

## Certifications

|                     |                 |
|---------------------|-----------------|
| <b>PPE Cat. I</b>   | Reg EU 2016/425 |
| <b>Food Contact</b> | REG EU 10/2011  |



## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.

## Food Suitability

Tested for 2h at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✓ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓ | <b>Dry food</b>    | ✓ |



## Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>R20/S</b>  | 8032891632352 | 8032891637357  |
| <b>R20/M</b>  | 8032891632369 | 8032891637364  |
| <b>R20/L</b>  | 8032891632376 | 8032891637371  |
| <b>R20/XL</b> | 8032891632383 | 8032891637388  |

## Packing



# REFLEX 18

Main sectors  
of use




## HIGH DENSITY POLYETHYLENE GLOVES (HDPE)

Disposable, ambidextrous, powder free and 100% latex free.

Slightly embossed surface.  
Recommended for any use where a low-cost, easy-to-wear disposable glove is required.

The pack of 500 pcs. greatly reduces costs for each shipment and handling.

Also available in packs of 100 pcs.



**HIGH DENSITY HDPE**

## Features

|                       |                   |                |                 |
|-----------------------|-------------------|----------------|-----------------|
| <b>Weight</b>         | 0.7 g +/- 0.1 (M) | <b>Colour</b>  | Transparent     |
| <b>Palm thickness</b> | 0.01 mm +/- 0.003 | <b>Surface</b> | Micro-roughened |
| <b>Length</b>         | 28 cm             | <b>Other</b>   | Powder free     |

## Certifications

|                     |                 |
|---------------------|-----------------|
| <b>PPE Cat. I</b>   | Reg EU 2016/425 |
| <b>Food Contact</b> | REG EU 10/2011  |



## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.

## Food Suitability

Tested for 2h at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✓ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓ | <b>Dry food</b>    | ✓ |



## Product codes - EAN

| CODE/SIZE   | EAN DISPENSER | EAN CARTON BOX |
|-------------|---------------|----------------|
| <b>R18</b>  | 8032891631607 | 8032891636602  |
| <b>P500</b> | 8032891631102 | 8032891636107  |

## Packing



Taglia unica



# SUPPORTED












## WHY CHOOSE IT:

They allow the hand to breathe.  
They offer durability and high protection.  
Fitting and maximum flexibility.



Supported gloves are protective gloves made of a coated fabric. They are made by dipping a knitted glove into a liquid compound such as nitrile or polyurethane. The knitted part “supports” the coating.

The Reflexx range of supported gloves is renewed by adding six new high-quality aerated models (PRO) alongside the classic line.

| EN 388:2016+A1:2018   |     | Size color<br>(highlighted on the cuff) |   | <br><br>Aerated back |
|---|-----|---|---|--|
| Performance levels<br>(X=not tested)                                  |     |   |   |  |
| Abrasion resistance   | 1-4 | 6 / XS                                  |  |   |
| Cut resistance (Coupe test)   | 1-5 | 7 / S                                   |  |  |
| Tear resistance   | 1-4 | 8 / M                                   |  |  |
| Puncture resistance   | 1-4 | 9 / L                                   |  |  |
| Cut resistance<br>(EN ISO 13997 TDM Test)                             | A-F | 10 / XL                                 |  |  |
| Impact protection<br>(EN 13594:2015)<br>(left blank if not performed) | P   | 11 / XXL                                |  |  |

## PRO gloves packaging



### Legenda



Bodywork



General manufacturing



Hobby sectors



Assembly



Logistics



Carpentry



Painting



Construction



Electronics

# REFLEXX N22



## NITRILE MICROSANDY GLOVES

### ANTI-CUT

Level C.

The **HPPE knit** provides cut-resistance, while the elastane and polyamide make the glove elastic and comfortable.

The palm is coated with a **DOUBLE** application of **Nitrile Microsandy**, which provides for excellent grip and elevated oil and water repellence.

Ideal for use in damp working environments or in the presence of oil and grease. Dimethylformamide (DMF) free.



**CUT PROTECTION**

### Features

|                       |                        |                |                    |
|-----------------------|------------------------|----------------|--------------------|
| <b>Length</b>         | 23-27 cm               | <b>Colour</b>  | Black              |
| <b>Liner Material</b> | HPPE Elastan Polyamide | <b>Coating</b> | Nitrile Microsandy |
| <b>Thickness</b>      | 13 Gauge               | <b>Other</b>   | Seamless           |

### Coating



### Anti-cut




### Environment of use



### Certifications

|                                |                 |
|--------------------------------|-----------------|
| <b>PPE Cat. II</b>             | Reg EU 2016/425 |
| <b>EN ISO 388:2016+A1:2018</b> | 4X43C           |



### Allergens



### Chemical Features



Silicon is not present in the gloves' composition.

### Product codes - EAN

| CODE/SIZE      | EAN DISPENSER | EAN CARTON BOX |
|----------------|---------------|----------------|
| <b>N22/S</b>   | 8032891634943 | 8032891639948  |
| <b>N22/M</b>   | 8032891634950 | 8032891639955  |
| <b>N22/L</b>   | 8032891634967 | 8032891639962  |
| <b>N22/XL</b>  | 8032891634974 | 8032891639979  |
| <b>N22/XXL</b> | 8032891634981 | 8032891639986  |

### Packing



\* 5 masterbag of 10 packs each

# REFLEXx PU22



## POLYURETHANE GLOVES

### ANTI-CUT

Level C.

The **HPPE knit** provides cut-resistance, while the elastane and polyamide make the glove elastic and comfortable.

**Polyurethane** coated palm, which provides the utmost breathability.

Ideal for use in dry working environments.



**CUT PROTECTION**

## Features

|                       |                        |                |                 |
|-----------------------|------------------------|----------------|-----------------|
| <b>Length</b>         | 23-27 cm               | <b>Colour</b>  | Black / Melange |
| <b>Liner Material</b> | HPPE Elastan Polyamide | <b>Coating</b> | Polyurethane    |
| <b>Thickness</b>      | 13 Gauge               | <b>Other</b>   | Seamless        |

### Coating



### Anti-cut




### Environment of use



## Certifications

|                                |                 |
|--------------------------------|-----------------|
| <b>PPE Cat. II</b>             | Reg EU 2016/425 |
| <b>EN ISO 388:2016+A1:2018</b> | 4X42C           |



## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.

## Product codes - EAN

| CODE/SIZE       | EAN DISPENSER | EAN CARTON BOX |
|-----------------|---------------|----------------|
| <b>PU22/XS</b>  | 8032891631003 | 8032891636008  |
| <b>PU22/S</b>   | 8032891631010 | 8032891636015  |
| <b>PU22/M</b>   | 8032891631027 | 8032891636022  |
| <b>PU22/L</b>   | 8032891631034 | 8032891636039  |
| <b>PU22/XL</b>  | 8032891631041 | 8032891636046  |
| <b>PU22/XXL</b> | 8032891631058 | 8032891636053  |

## Packing



\* 5 masterbag of 10 packs each

# REFLEXX N16 MS



## NITRILE MICROSANDY GLOVES

### Polyamide/spandex glove.

The presence of Spandex increases the elasticity of the glove, also limiting the penetration of liquids.

**Nitrile Microsandy coated** palm which provides an excellent grip and increased oil and water repellence.

Ideal for use in damp working environments or in the presence of oil and grease.

Dimethylformamide (DMF) free.



**NITRILE**

## Features

|                       |                     |                |                    |
|-----------------------|---------------------|----------------|--------------------|
| <b>Length</b>         | 23-27 cm            | <b>Colour</b>  | Black              |
| <b>Liner Material</b> | Polyamide / Spandex | <b>Coating</b> | Nitrile Microsandy |
| <b>Thickness</b>      | <b>15 Gauge</b>     | <b>Other</b>   | Seamless           |

## Coating



## Environment of use



## Certifications

|                                |                 |
|--------------------------------|-----------------|
| <b>PPE Cat. II</b>             | Reg EU 2016/425 |
| <b>EN ISO 388:2016+A1:2018</b> | 4121X           |



## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.

## Product codes - EAN

| CODE/SIZE      | EAN DISPENSER | EAN CARTON BOX |
|----------------|---------------|----------------|
| <b>N16/XS</b>  | 8032891634639 | 8032891639634  |
| <b>N16/S</b>   | 8032891634646 | 8032891639641  |
| <b>N16/M</b>   | 8032891634653 | 8032891639658  |
| <b>N16/L</b>   | 8032891634660 | 8032891639665  |
| <b>N16/XL</b>  | 8032891634677 | 8032891639672  |
| <b>N16/XXL</b> | 8032891634684 | 8032891639689  |

## Packing



\*10 masterbag of 10 packs each



# REFLEXx PU18



## POLYURETHANE GLOVES

High quality polyamide glove.

**Polyurethane coated** palm which provides maximal breathability.

Ideal for use in dry working environments.

Available in 3 different colours: white, grey and black.



PU18B

PU18G

PU18W



**POLYURETHANE**

## Features

|                       |           |                |                      |
|-----------------------|-----------|----------------|----------------------|
| <b>Length</b>         | 23-27 cm  | <b>Colour</b>  | White, grey or black |
| <b>Liner Material</b> | Polyamide | <b>Coating</b> | Polyurethane         |
| <b>Thickness</b>      | 13 Gauge  | <b>Other</b>   | Seamless             |

## Product codes - EAN


| CODE/SIZE        | EAN DISPENSER | EAN CARTON BOX |
|------------------|---------------|----------------|
| <b>PU18W/XS</b>  | 8032891634691 | 8032891639696  |
| <b>PU18W/S</b>   | 8032891634707 | 8032891639702  |
| <b>PU18W/M</b>   | 8032891634714 | 8032891639719  |
| <b>PU18W/L</b>   | 8032891634721 | 8032891639726  |
| <b>PU18W/XL</b>  | 8032891634738 | 8032891639733  |
| <b>PU18W/XXL</b> | 8032891634745 | 8032891639740  |

|                  |               |               |
|------------------|---------------|---------------|
| <b>PU18G/XS</b>  | 8032891634752 | 8032891639757 |
| <b>PU18G/S</b>   | 8032891634769 | 8032891639764 |
| <b>PU18G/M</b>   | 8032891634776 | 8032891639771 |
| <b>PU18G/L</b>   | 8032891634783 | 8032891639788 |
| <b>PU18G/XL</b>  | 8032891634790 | 8032891639795 |
| <b>PU18G/XXL</b> | 8032891634806 | 8032891639801 |

|                  |               |               |
|------------------|---------------|---------------|
| <b>PU18B/XS</b>  | 8032891634813 | 8032891639818 |
| <b>PU18B/S</b>   | 8032891634820 | 8032891639825 |
| <b>PU18B/M</b>   | 8032891634837 | 8032891639832 |
| <b>PU18B/L</b>   | 8032891634844 | 8032891639849 |
| <b>PU18B/XL</b>  | 8032891634851 | 8032891639856 |
| <b>PU18B/XXL</b> | 8032891634868 | 8032891639863 |

## Certifications

|                                |                 |
|--------------------------------|-----------------|
| <b>PPE Cat. II</b>             | Reg EU 2016/425 |
| <b>EN ISO 388:2016+A1:2018</b> | 4131X           |



## Coating



## Environment of use



## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.

## Packing



\* 10 masterbag of 10 packs each

# REFLEXX N12



## NITRILE GLOVES

Seamless knitted white synthetic gloves,  
**grey nitrile palm coated.**

Elastic wrist, open back.

Not suitable for dipping.

**EN 388:2016+A1:2018 - 2131X**



**NITRILE**

## Features

|                       |           |                |              |
|-----------------------|-----------|----------------|--------------|
| <b>Length</b>         | 23-27 cm  | <b>Colour</b>  | White / Grey |
| <b>Liner Material</b> | Synthetic | <b>Coating</b> | Nitrile      |
| <b>Thickness</b>      | 13 Gauge  | <b>Other</b>   | Seamless     |

## Coating



## Environment of use



## Certifications

|                                |                 |
|--------------------------------|-----------------|
| <b>PPE Cat. II</b>             | Reg EU 2016/425 |
| <b>EN ISO 388:2016+A1:2018</b> | 2131X           |




## Allergens



## Product codes - EAN

| CODE/SIZE      | EAN DISPENSER | EAN CARTON BOX |
|----------------|---------------|----------------|
| <b>R12/S</b>   | 8032891633090 | 8032891638095  |
| <b>R12/M</b>   | 8032891633106 | 8032891638101  |
| <b>R12/L</b>   | 8032891633113 | 8032891638118  |
| <b>R12/XL</b>  | 8032891633120 | 8032891638125  |
| <b>R12/XXL</b> | 8032891633137 | 8032891638132  |

## Packing



\* 5 masterbag of 10 packs each



# REFLEXx PU13

## POLYURETHANE GLOVES

Seamless knitted black synthetic gloves,  
**black polyurethane palm coated.**

Elastic wrist, open back.

Not suitable for dipping.

**EN 388:2016+A1:2018 - 2121X**



**POLYURETHANE**

## Features

|                       |           |                |               |
|-----------------------|-----------|----------------|---------------|
| <b>Length</b>         | 23-27 cm  | <b>Colour</b>  | Black / Black |
| <b>Liner Material</b> | Synthetic | <b>Coating</b> | Polyurethane  |
| <b>Thickness</b>      | 13 Gauge  | <b>Other</b>   | Seamless      |

## Coating



## Environment of use



## Certifications

|                                |                 |
|--------------------------------|-----------------|
| <b>PPE Cat. II</b>             | Reg EU 2016/425 |
| <b>EN ISO 388:2016+A1:2018</b> | 2121X           |



## Allergens



## Product codes - EAN

| CODE/SIZE      | EAN DISPENSER | EAN CARTON BOX |
|----------------|---------------|----------------|
| <b>R13/S</b>   | 8032891633144 | 8032891638149  |
| <b>R13/M</b>   | 8032891633151 | 8032891638156  |
| <b>R13/L</b>   | 8032891633168 | 8032891638163  |
| <b>R13/XL</b>  | 8032891633175 | 8032891638170  |
| <b>R13/XXL</b> | 8032891633182 | 8032891638187  |

## Packing



\* 5 masterbag of 10 packs each

# REUSABLE



# REFLEX 101 HD

Main sectors  
of use



## NEOPRENE AND LATEX GLOVES

### LIGHT INNER FLOCK-LINING

Sold in pairs.

Lightly flock-lined and externally chlorinated.

Anti-slip pattern.

**Good chemical and mechanical resistance.**

**EN ISO 374-1:2016 TYPE A**  
(certified with 6 chemicals)



**NEOPRENE +  
LATEX**

## Features

|                       |                     |
|-----------------------|---------------------|
| <b>Pair weight</b>    | 105.0 g +/- 5.0 (M) |
| <b>Palm thickness</b> | 0.68 mm +/- 0.05    |
| <b>Length</b>         | 32 cm               |

|                |                     |
|----------------|---------------------|
| <b>Colour</b>  | Black               |
| <b>Surface</b> | Anti-slip pattern   |
| <b>Other</b>   | Lightly flock-lined |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type A / JKLNTF                        |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>EN ISO 388:2016</b>   | 2121X                                  |
| <b>AQL</b>               | ≤1,5                                   |



## Allergens



## Chemical Features



## Product codes - EAN

| CODE/SIZE       | EAN DISPENSER | EAN CARTON BOX |
|-----------------|---------------|----------------|
| <b>R101/M</b>   | 8032891632598 | 8032891637777  |
| <b>R101/L</b>   | 8032891632604 | 8032891637784  |
| <b>R101/XL</b>  | 8032891632611 | 8032891637791  |
| <b>R101/XXL</b> | 8032891632628 | 8032891637807  |

## Packing



\* 5 masterbag of 10 packs each



# REFLEX 97 HD

Main sectors  
of use



## NITRILE GLOVES

### LIGHT INNER FLOCK-LINING

Sold in pairs. Lightly flock-lined. Externally chlorinated.  
Anti-slip pattern.

**Excellent chemical (polyvalent) and mechanical (abrasion) resistance.**

The stable formulation allows the contact with any type of food (for 30' at 40° C).

**EN ISO 374-1:2016 TYPE A**  
(certified with 6 chemicals).



**HEAVY NITRILE**

## Features

|                       |                    |                |                     |
|-----------------------|--------------------|----------------|---------------------|
| <b>Pair weight</b>    | 63.0 g +/- 5.0 (M) | <b>Colour</b>  | Green               |
| <b>Palm thickness</b> | 0.40 mm +/- 0.05   | <b>Surface</b> | Anti-slip pattern   |
| <b>Length</b>         | 33 cm              | <b>Other</b>   | Lightly flock-lined |

## Certifications

|                          |  |
|--------------------------|--|
| <b>PPE Cat. III</b>      | Reg EU 2016/425                        |
| <b>EN ISO 374-1:2016</b> | Type A / JKLOPT                        |
| <b>EN ISO 374-5:2016</b> | Microorganisms (bacteria/fungi), VIRUS |
| <b>EN ISO 388:2016</b>   | 4101X                                  |
| <b>Food Contact</b>      | DM 21/03/1973   REG EU 10/2011         |
| <b>AQL</b>               | ≤1,5                                   |



## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.

## Food Suitability

Tested for 30' at 40°

|                    |   |                    |   |
|--------------------|---|--------------------|---|
| <b>Aqueous</b>     | ✓ | <b>Alcoholic</b>   | ✓ |
| <b>Acid pH≤4.5</b> | ✓ | <b>Oily, fatty</b> | ✓ |
| <b>Dairy</b>       | ✓ | <b>Dry food</b>    | ✓ |

## Product codes - EAN

| CODE/SIZE      | EAN DISPENSER | EAN CARTON BOX |
|----------------|---------------|----------------|
| <b>R97/M</b>   | 8032891632499 | 8032891637494  |
| <b>R97/L</b>   | 8032891632505 | 8032891637500  |
| <b>R97/XL</b>  | 8032891632512 | 8032891637517  |
| <b>R97/XXL</b> | 8032891632529 | 8032891637524  |

## Packing



\* 5 masterbag of 10 packs each

# REFLEX 94

Main sectors  
of use



## LATEX GLOVES

### BICOLOUR FLOCK-LINED

Double yellow/blue latex layers for higher resistance on palm and fingers.

#### High quality for long lasting and improved resistance.

Externally chlorinated for better performance and hygiene.

Anti-slip pattern.  
Cotton flock-lining inside.



BICOLOR

## Features

|                |                    |         |                    |
|----------------|--------------------|---------|--------------------|
| Pair weight    | 80.0 g +/- 5.0 (M) | Colour  | Yellow / Blue      |
| Palm thickness | 0.50 mm +/- 0.05   | Surface | Anti-slip pattern  |
| Length         | 33 cm              | Other   | Cotton flock-lined |

## Certifications

|                   |                                 |
|-------------------|---------------------------------|
| PPE Cat. III      | Reg EU 2016/425                 |
| EN ISO 374-1:2016 | Type B / KPTM                   |
| EN ISO 374-5:2016 | Microorganisms (bacteria/fungi) |
| EN ISO 388:2016   | 0120X                           |
| Food Contact      | DM 21/03/1973   REG EU 10/2011  |
| AQL               | ≤1,5                            |



## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.

## Food Suitability

Tested for 30' at 40°

|             |   |             |   |
|-------------|---|-------------|---|
| Aqueous     | ✓ | Alcoholic   | ✗ |
| Acid pH≤4.5 | ✗ | Oily, fatty | ✗ |
| Dairy       | ✗ | Dry food    | ✓ |

## Product codes - EAN

| CODE/SIZE | EAN DISPENSER | EAN CARTON BOX |
|-----------|---------------|----------------|
| R94/S     | 8032891632741 | 8032891637746  |
| R94/M     | 8032891632758 | 8032891637753  |
| R94/L     | 8032891632765 | 8032891637760  |
| R94/XL    | 8032891632772 | 8032891637722  |

## Packing



\* 5 masterbag of 10 packs each



# REFLEX 90

 Main sectors  
of use


## FLOCK-LINED LATEX GLOVES

Sold in pairs, beaded cuff.  
Anti-slip pattern.  
Cotton flock-lining inside.

### Features

|                       |                    |
|-----------------------|--------------------|
| <b>Pair weight</b>    | 50.0 g +/- 3.0 (M) |
| <b>Palm thickness</b> | 0.32 mm +/- 0.04   |
| <b>Length</b>         | 30 cm              |
| <b>Colour</b>         | Yellow             |
| <b>Surface</b>        | Anti-slip pattern  |
| <b>Other</b>          | Cotton flock-lined |

### Certifications

**PPE Cat. I** Reg EU 2016/425



### Allergens



### Packing



\* 12 masterbag of 10 packs each



### Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>R90/S</b>  | 8032891631522 | 8032891636527  |
| <b>R90/M</b>  | 8032891631539 | 8032891636534  |
| <b>R90/L</b>  | 8032891631546 | 8032891636541  |
| <b>R90/XL</b> | 8032891631553 | 8032891636558  |

# REFLEX 92

 Main sectors  
of use


## UNLINED LATEX GLOVES

Sold in pairs.  
Anti-slip pattern.  
Internally chlorinated for easy donning and to reduce the risk of latex protein allergies.

### Features

|                       |                    |
|-----------------------|--------------------|
| <b>Pair weight</b>    | 50.0 g +/- 3.0 (M) |
| <b>Palm thickness</b> | 0.30 mm +/- 0.04   |
| <b>Length</b>         | 30 cm              |
| <b>Colour</b>         | Amber              |
| <b>Surface</b>        | Anti-slip pattern  |
| <b>Other</b>          | Unlined            |

### Certifications

**PPE Cat. I** Reg EU 2016/425



### Allergens



### Packing




\* 12 masterbag of 10 packs each



### Product codes - EAN

| CODE/SIZE     | EAN DISPENSER | EAN CARTON BOX |
|---------------|---------------|----------------|
| <b>R92/S</b>  | 8032891631560 | 8032891636565  |
| <b>R92/M</b>  | 8032891631577 | 8032891636572  |
| <b>R92/L</b>  | 8032891631584 | 8032891636589  |
| <b>R92/XL</b> | 8032891631591 | 8032891636596  |

# FEATHER



## FEATHER COTTON

Main sectors  
of use

## LATEX GLOVES- LINED

## FLOCK-LINED

Household gloves, suitable for cleaning.

100% natural latex.

Anti-slip pattern.  
Cotton flock-lining inside.

Sold in pairs, beaded cuff.



## Features

|                |                    |         |                    |
|----------------|--------------------|---------|--------------------|
| Pair weight    | 40.0 g +/- 3.0 (M) | Colour  | Yellow             |
| Palm thickness | 0.28 mm +/- 0.03   | Surface | Anti-slip pattern  |
| Length         | 30 cm              | Other   | Cotton flock-lined |

## Certifications

PPE Cat. I Reg EU 2016/425



## Allergens



## Chemical Features



Silicon is not present in the gloves' composition.

## Product codes - EAN

| CODE/SIZE | EAN DISPENSER | EAN CARTON BOX |
|-----------|---------------|----------------|
| FC/S      | 8032891630112 | 8032891635117  |
| FC/M      | 8032891630129 | 8032891635124  |
| FC/L      | 8032891630136 | 8032891635131  |

## Packing



\*12 masterbag of 10 packs each





# FEATHER PLUS

Main sectors  
of use



## POWDERED LATEX GLOVES

Disposable, ambidextrous.

### Features

|                |                   |
|----------------|-------------------|
| Weight         | 4.8 g +/- 0.3 (M) |
| Palm thickness | 0.07 mm +/- 0.03  |
| Length         | 24 cm             |
| Colour         | White             |
| Surface        | Smooth            |
| Other          | Powdered          |

### Food Suitability

Tested for 30' at 40°

|             |   |
|-------------|---|
| Aqueous     | ✓ |
| Acid pH≤4.5 | ✗ |
| Dairy       | ✗ |
| Alcoholic   | ✗ |
| Oily, fatty | ✗ |
| Dry food    | ✓ |



### Packing



### Allergens



### Certifications

|              |                                |
|--------------|--------------------------------|
| PPE Cat. I   | Reg EU 2016/425                |
| Food Contact | DM 21/03/1973   REG EU 10/2011 |



### Product codes - EAN

| CODE/SIZE | EAN DISPENSER | EAN CARTON BOX |
|-----------|---------------|----------------|
| FP/S      | 8032891634257 | 8032891639252  |
| FP/M      | 8032891634264 | 8032891639269  |
| FP/L      | 8032891634271 | 8032891639276  |
| FP/XL     | 8032891634288 | 8032891639283  |



# FEATHER LATEXX PF

Main sectors  
of use



## POWDER FREE LATEX GLOVES

Disposable, ambidextrous.  
Protein content below 50 µg/g to reduce the risk of allergies and increasing biocompatibility.

### Features

|                |                    |
|----------------|--------------------|
| Weight         | 5.0 g +/- 0.3 (M)  |
| Palm thickness | 0.07 mm +/- 0.02   |
| Length         | 24 cm              |
| Colour         | White              |
| Surface        | Micro-roughened    |
| Other          | Inner chlorination |

### Food Suitability

Tested for 30' at 40°

|             |   |
|-------------|---|
| Aqueous     | ✓ |
| Acid pH≤4.5 | ✗ |
| Dairy       | ✗ |
| Alcoholic   | ✗ |
| Oily, fatty | ✗ |
| Dry food    | ✓ |



### Packing



### Allergens



### Certifications

|              |                                |
|--------------|--------------------------------|
| PPE Cat. I   | Reg EU 2016/425                |
| Food Contact | DM 21/03/1973   REG EU 10/2011 |



### Product codes - EAN

| CODE/SIZE | EAN DISPENSER | EAN CARTON BOX |
|-----------|---------------|----------------|
| FPF/S     | 8032891631201 | 8032891636206  |
| FPF/M     | 8032891631218 | 8032891636213  |
| FPF/L     | 8032891631225 | 8032891636220  |
| FPF/XL    | 8032891631232 | 8032891636237  |



# FEATHER NITREXX

Main sectors  
of use



## POWDER FREE NITRILE GLOVES

Disposable, ambidextrous.

### Features

|                |                   |
|----------------|-------------------|
| Weight         | 2.8 g +/- 0.2 (M) |
| Palm thickness | 0.06 mm +/- 0.02  |
| Length         | 24 cm             |
| Colour         | Light Blue        |
| Surface        | Micro-roughened   |
| Other          | Powder free       |

### Food Suitability

Tested for 30' at 40°

|             |   |
|-------------|---|
| Aqueous     | ✓ |
| Acid pH≤4.5 | ✗ |
| Dairy       | ✗ |
| Alcoholic   | ✗ |
| Oily, fatty | ✓ |
| Dry food    | ✓ |



### Packing



### Certifications

|              |                                |
|--------------|--------------------------------|
| PPE Cat. I   | Reg EU 2016/425                |
| Food Contact | DM 21/03/1973   REG EU 10/2011 |



### Product codes - EAN

| CODE/SIZE | EAN DISPENSER | EAN CARTON BOX |
|-----------|---------------|----------------|
| FNX/S     | 8032891634363 | 8032891639368  |
| FNX/M     | 8032891634370 | 8032891639375  |
| FNX/L     | 8032891634387 | 8032891639382  |
| FNX/XL    | 8032891634394 | 8032891639399  |



### Allergens



### Chemical Features



Silicon is not present in the gloves' composition.

# FEATHER FLEXX PF

Main sectors  
of use



## POWDER FREE VINYL GLOVES

Disposable, ambidextrous.

### Features

|                |                   |
|----------------|-------------------|
| Weight         | 3.8 g +/- 0.2 (M) |
| Palm thickness | 0.06 mm +/- 0.02  |
| Length         | 24 cm             |
| Colour         | Transparent       |
| Surface        | Smooth            |
| Other          | Powder free       |

### Food Suitability

Tested for 30' at 40°

|             |   |
|-------------|---|
| Aqueous     | ✓ |
| Acid pH≤4.5 | ✓ |
| Dairy       | ✗ |
| Alcoholic   | ✗ |
| Oily, fatty | ✗ |
| Dry food    | ✓ |



### Packing



### Certifications

|              |                                |
|--------------|--------------------------------|
| PPE Cat. I   | Reg EU 2016/425                |
| Food Contact | DM 21/03/1973   REG EU 10/2011 |



### Product codes - EAN

| CODE/SIZE | EAN DISPENSER | EAN CARTON BOX |
|-----------|---------------|----------------|
| FVPF/S    | 8032891634189 | 8032891639184  |
| FVPF/M    | 8032891634196 | 8032891639191  |
| FVPF/L    | 8032891634202 | 8032891639207  |
| FVPF/XL   | 8032891634219 | 8032891639214  |



### Allergens



### Chemical Features



PHT  
DINP  
DOTP  
TXIB

## Promotional material

### Floor Display

4 shelves suitable for displaying the different Reflexx dispensers



#### Dimensions (cm):

58 x 38 x 168

Code 1004

### Floor Display - Reflexx Pro

9 hooks for hanging work gloves from the Reflexx Pro line



#### Dimensions (cm):

59.6 x 39.2 x 181

Code 1003

### Desk Display - Tester

Universal base with removable crown for the different



#### Dimensions (cm):

19 x 40/55 x 11

### Depliant

Depliant and brochure of the various Reflexx lines: Food Line, Care Line and supported work.



### Sample packs

Sample bags containing 4 sample gloves. Available for all models and sizes of disposable gloves.



## Packaging

All Reflexx packs are designed to facilitate the identification of the item and sizes and to provide all the information required by law.



## Website

The constantly updated **www.reflexx.com** site is the collection point for all information about the company and its products.



The **product page** presents all the **essential information for the user**: from glove features to regulations for which it is suitable and the test results passed.

All accompanied with a photograph of the sales package and a photo of the glove.

There is also the **product comparator**, useful for making an in-depth comparison between multiple products simultaneously.



The **download section** from which you can download all the updated documentation in convenient **PDF format** (information notes, declarations of conformity, DICA etc ...).

In these sections, the following topics can be explored:

- certifications
- characteristics
- advice for use
- information on allergens
- measurements, weights and EAN codes of each size of dispenser and carton
- instructions for the correct disposal of the packaging and the glove
- illustrative video of the product



## Social media

For a continuous update on the latest news of Reflexx products or sector information follow us on social networks, scan the QR codes below!



## Corporate Social Responsibility

Reflexx, in 2022, decided to strengthen actions in favor of social and environmental issues.

The company promotes its CSR through a voluntary action plan in favor of the well-being of the society in which it operates and the planet. This plan has been called **"Reflexx for Planet"**, identifiable with the following new dedicated logo.



In this way, at Reflexx, we aim to stand out for our ability to rethink business practices from a sustainable perspective and in step with social and technological evolution.

## Industry Magazines

Reflexx is also constantly present on the best sector publications in the BtoB sector on which you can read our interventions and see our advertisements.







**Reflexx S.p.A.**

Via Passeri, 2 46019 - Viadana (MN) - ITALY  
[contatti@reflexx.com](mailto:contatti@reflexx.com)

[www.reflexx.com](http://www.reflexx.com)